ATTACHMENT 4

P O. Box 457 Bridgebort. CA	nan, Director epartment of Public Works		Mono Co P.O. Box	Boardmar cunty Dec x 457 on. CA 939	n. Director artment of Put	slity		•
Mono County D P D. Box 457 Bridgebort, CA	Composting Facility (mixed waste) Composting Facility (mixed waste) Composting Facility (yard waste) Landfill Discosal Sit	•	Mono Co P.O. Bos Bridgeso	cunty Dep x 457 ort. CA 935	517 rocessing Faci	slity		
P O. Box 457 Bridgebort. CA	Composting Facility (mixed waste) Composting Facility (yard waste) Landfill Discosal Sit	•	P.O. Box Bridgepo	x 457 ort. CA 93:	517 rocessing Faci	slity		-
Bridgebort, CA	Composting Facility (mixed waste) Composting Facility (yard waste) Landfill Disoosal Sil	•	Bnageo	рг. СА 935	rocessing Faci			
x	Composting Facility (mixed waste) Composting Facility (yard waste) Landfill Disoosal Sil	•		P	rocessing Faci			
	(mixed waste) Composting Facility (yard waste) Landfill Disposal Sit	•			-			
	(mixed waste) Composting Facility (yard waste) Landfill Disposal Sit	•			-			
	Composting Facility (yard waste) Landfill Disposal Sil	•		T.	ransfer Station	1		
	(yard waste) Landfill Disoosal Sit	•		T	ransier Station	1		
	Landfill Discosal Sit							
will be during daylight ho	Material Recovery F	actity		Ti	ransformation	Facility		
vill be during daylight ho				0	ther			
	ours for a minimum of three	days per week.	. See #8 in Requir	ements.				
		Total:	10	т	ons/Day			
			included	T	ons/Day			
				_				
					,			
					•			
			. '					
			iucinaea (see 256	.C. ≇1) li	ons/uay			
		Total:	N/A	v	enicles/Day			
			N/A	v	enicles/Day			
		•	N/A	v	enicles/Day			
				v	enicles/Day			
ns bearing LEA and CIV	VMB validations):							
Total								nation
		100						
***************************************								45.0
	Total 10 a N// N// N// sate of anticipated owners spermit is subject to re-	10 a 9 a 2.5 42600 cv N/A N/A 1 N/A 1 2045 ate of anticipated ownership transfer pursuant of spermit is subject to revocation or suspension. T	Total Disposal Transfer 10 a 9 a 2.5 a 42600 cv N/A tod N/A 1 N/A 1 2045 ate of anticipated ownership transfer pursuant of PRC 44005. Fur	N/A N/A Included (see spe In	N/A TOTAL INCLUDED (See Spec. #1) Total: N/A VI N/A IDD N/A	N/A Tons/Day N/A Tons/Day Included (see spec. #1) -Tons/Day Included (see spec. #1) -Tons/Day Included (see spec. #1) Tons/Day Total: N/A Venicles/Day N/A Venicles/Day Venicles/Day Venicles/Day Venicles/Day Total: Disposal Transfer MRF Composit 10 a 9 a 2.5 a N/A a N/A 10 a 9 a 7.5 a N/A tod N/A tod N/A N/A 1 tod N/A N/A	N/A Tons/Day N/A Tons/Day Included (see spec. #1) -Tons/Day Included (see spec. #1) Tons/Day Included (see spec. #1) Tons/Day Total: N/A Venicles/Day N/A Venicles/Day Venicles/Day Venicles/Day Total Disposal Transfer MRF Composting 10 a 9 a 2.5 a N/A a	N/A Tons/DayN/A Tons/Day Included (see spec. #1) —Tons/Day Included (see spec. #1) —Tons/Day Included (see spec. #1) —Tons/Day Total: N/A Venicles/Day N/A Venicles/Day N/A Venicles/Day

ATTACHMENT 4

Benton Landfill Christe Lane 0.4 Miles from St Hwy 6 Benton CA 93512 Specifications: Permitted Operations: Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials reg waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans is estimated Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date spinificant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of Approvals.	P.O. Box 457 Bridgeport, CA 934	composting Fa (mixed waste) Composting Fa (mixed waste) Composting Fa (yard waste) Landfill Disposting Recovery	actity actity sal Site very Factity	P.C Bnc	nard Boardr no County D I. Box 457 Igeport, CA	Processing Facility Transfer Station Transformation F Other Tons/Day	nty	
Christie Lane 0.4 Miles from St Hwy 6 Benton. CA 93512 Specifications: Permitted Operations:	Mono County Dep: P.O. Box 457 Bndgeport, CA 935	Composting Fa (mixed waste) Composting Fa (yard waste) Landfill Dispos Material Recov	actify actify sat Site very Factify three days per we	Modern Mo	no County D Bax 457 Igeport, CA	93517 Processing Facili Transfer Station Transformation F Other	nty	
Q.4 Miles from St Hwy 6 Benton, CA 93512 Specifications: Permitted Operations: X X X Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials G waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of the seminated Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date sprificant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approvals.	P.O. Box 457 Bridgeport, CA 934	Composing Fa (mixed waste) Composing Fa (yard waste) Landfill Dispos Material Recov	actify actify sat Site very Factify three days per we	P.C Bnd	. Bax 457 igeport, CA	93517 Processing Facilitation Transfer Station Transformation F Other Tons/Day	nty	
Benton, CA 93512 . Specifications: . Permitted Operations: . Permitted Hours of Operation: Public and Commercial - Operation will . Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphatt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans i ermitted Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) simated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date inditions are integral parts of this permit and supersede the conditions of Approvals.	Bndgeport, CA 934	Composting Fill (mixed waste) Composting Fill (yard waste) Landfill Dispost Material Recovers	actify iat Site very Facility three days per we	8nd	igeport, CA	Processing Facility Transfer Station Transformation F Other Tons/Day		
Permitted Operations:		Composting Fill (mixed waste) Composting Fill (yard waste) Landfill Dispost Material Recovers	actify iat Site very Facility three days per we	eek. See #8 in Rd	quirements	Processing Facility Transfer Station Transformation F Other Tons/Day		
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Generated Traffic Volume: Incoming Waste Materials For materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans is emitted Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date infificant change in design or operation from that described herein, this permit and supersede the conditions of Approvals Approvals Approvals Approvals Adaptive Capacity Approvals Approvals Adaptive Capacity Approvals Adaptive Capacity Approvals Adaptive Capacity Approvals Approvals Adaptive Capacity Approvals Adaptive Capacity Approvals Adaptive Capacity Approvals Adaptive Capacity Approvals Approvals Approvals Approvals Approvals Approvals Approvals		(mixed waste) Composting Fa (yard waste) Landfill Dispos Material Recov	actify iat Site very Facility three days per we	10		Transfer Station Transformation F Other Tons/Day		
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials The permitted Traffic Volume: Incoming Waste Materials The permitted Traffic Volu		(mixed waste) Composting Fa (yard waste) Landfill Dispos Material Recov	actify iat Site very Facility three days per we	10		Transfer Station Transformation F Other Tons/Day		
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials For waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of the p		(mixed waste) Composting Fa (yard waste) Landfill Dispos Material Recov	actify iat Site very Facility three days per we	10		Transfer Station Transformation F Other Tons/Day		
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyctables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials Figure Waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of the sign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date inditions are integral parts of this permit and supersede the conditions of Approvals. Approvals. Additional Addit		Composting Fa (yard waste) Landfill Dispos Material Recov	ial Site very Facility three days per we	10		Transformation 6 Other 	·aculity	
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyctables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials Figure Traffic Volume: Incoming Waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans is ermitted Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date pinficant change in design or operation from that described herein, this pinditions are integral parts of this permit and supersede the conditions of		(yard waste) Landfill Dispos Material Recov	ial Site very Facility three days per we	10		Other Tons/Day	aculity	
Permitted Hours of Operation: Public and Commercial - Operation will Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials and waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans as emitted Area (in acres) asign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date synificant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approvals. Approvals Additional Agency 45 days and the date of this permit and supersede the conditions of the Approvals. Approvals		Material Recov	very Facility three days per we	10		Other Tons/Day	aculity	
Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials Incoming Waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans ermitted Area (in acres) esign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date grifficant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approvals. Approvals.	e during daylight hour		three days per we	10		Tons/Day		
Permitted Tons Per Operating Day Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Incoming Waste Materials Incoming Waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans ermitted Area (in acres) asign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date grifficant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approvals.	be during daylight hour	rs for a minimum of		10		_Tons/Day		
Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Concrete/Asphalt Mulch/Green Materials Incoming Waste Materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans or site plans) sign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) stimated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date of sindicant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approvals.			Total:		ied_	•		
Non-Hazardous - General Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans or site plans					ied	•		
Non-Hazardous - Separated or commingled recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials The great materials (for disposal) Imaterials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of the site of the si				incuc	ed	Tone/Dev		
recyclables Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Great waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of the site of the						Tons/Day		
Non-Hazardous - (see Section 14 of Permit) Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans in sign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) timated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date in inflicant change in design or operation from that described herein, this prinditions are integral parts of this permit and supersede the conditions of Approval.								
Concrete/Asphalt Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials Green waste materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans is rimitted Area (in acres) sign Refuse Capacity ax. Elevation (ft. MSL) ax Depth (ft. BGS) timated Closure Date where shall notify the Local Enforcement Agency 45 days prior to the date significant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of				N//		_ Tons/Day		
Mulch/Green Material Permitted Traffic Volume: Incoming Waste Materials The properties of the parameters of the parameters are shown on site plans of the parameters of the parameters are shown on site plans of the parameters of the parameters are shown on site plans of the parameters of the parameters are shown on site plans of the parameters of the parameters are shown on site plans of the parameters				N/		_Tons/Day		
Permitted Traffic Volume: Incoming Waste Materials materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans if mitted Area (in acres) sign Refuse Capacity ix. Elevation (ft. MSL) ix Depth (ft. BGS) itimated Closure Date oner shall notify the Local Enforcement Agency 45 days prior to the date inficient change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of				Included (see		Tons/Day		
materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans of mitted Area (in acres) sign Refuse Capacity x. Elevation (fl. MSL) x Depth (fl. BGS) similared Closure Date The shall notify the Local Enforcement Agency 45 days prior to the date of the shall notify the Local Enforcement Agency 45 days prior to the date of the shall not the shall				Included (see	spec. #1)	Tons/Day		
materials (for disposal) materials for material recovery operations Key Design Parameters (Detailed parameters are shown on site plans in interest (in acres) sign Refuse Capacity x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date oner shall notify the Local Enforcement Agency 45 days prior to the date inficient change in design or operation from that described herein, this proditions are integral parts of this permit and supersede the conditions of Approvals.			Total:	N//	<u> </u>	Vehicles/Day		
materials for material recovery operations. Key Design Parameters (Detailed parameters are shown on site plans immitted Area (in acres) sign Refuse Capacity in the Edward (in MSL) in the Edward (in acres) sign Refuse Capacity in the Edward (in acres)				N//	<u> </u>	Vehicles/Day		
Key Design Parameters (Detailed parameters are shown on site plans in mitted Area (in acres) sign Refuse Capacity x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date mer shall notify the Local Enforcement Agency 45 days pnor to the date inficant change in design or operation from that described herein, this proditions are integral parts of this permit and supersede the conditions of Approvals.				N/	<u> </u>	_ Vehicles/Day		
Key Design Parameters (Detailed parameters are shown on site plans in mitted Area (in acres) sign Refuse Capacity x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date the shall notify the Local Enforcement Agency 45 days prior to the date inficant change in design or operation from that described herein, this proditions are integral parts of this permit and supersede the conditions of Approvals.						Vehicles/Day		
inmitted Area (in acres) sign Refuse Capacity ix. Elevation (ft. MSL) ix Depth (ft. BGS) timated Closure Date oner shall notify the Local Enforcement Agency 45 days prior to the date inflicant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of		-					-	
sign Refuse Capacity x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date oner shall notify the Local Enforcement Agency 45 days prior to the date inflicant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of	earing LEA and Civvin	AB Validations):						
sign Refuse Capacity x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date oner shall notify the Local Enforcement Agency 45 days prior to the date inflicant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of		Disposal	Transfer	MR.		Compostin		Transforma
x. Elevation (ft. MSL) x Depth (ft. BGS) imated Closure Date their shall notify the Local Enforcement Agency 45 days prior to the date inficiant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of	10 a		0.5	a N/A		N/A	<u>a</u>	N/A
x Depth (ft. BGS) imated Closure Date oner shall notify the Local Enforcement Agency 45 days pnor to the date inficiant change in design or operation from that described herein, this p inditions are integral parts of this permit and supersede the conditions of		;=Z	N/A to	od N/A	tpd	! N/A	tpd	N/A
mer shall notify the Local Enforcement Agency 45 days prior to the date inficiant change in design or operation from that described herein, this princitions are integral parts of this permit and supersede the conditions of Approval.	N/A	ft Lie	**************************************			-100 - 100 -		
mer shall notify the Local Enforcement Agency 45 days prior to the date inficiant change in design or operation from that described herein, this predictions are integral parts of this permit and supersede the conditions of Approvals.	N/A			30			A district	
Approvate. Approv	20	045	THE REAL PROPERTY.		1000	A CALL STORY		である (金の)
Approvale Approv	of anticipated ownersh	hip transfer pursuan	nt ot PRC 44005.	Further, upon a				_
ADDROY Dungsan	ermit is subject to revoc	cation or suspensio	n. The attached p	permit findings an	d			
town august	any previously issued S	Solid Waste Facility	y Permits.					
town august		7.	Enforcement Ag	ency Name and A	ddress:			
The augustic	 ,			•				
Annual Company Company of	EAR		P.O. Box	runty Health Depa 476	i unit			
eroving Officer Signature	leas			rt, Ca 93517				
	leds		anagepo	nc, Ge 3331/				
ennis Lampson. LEA Manager	leds							
Received by CRWMB: AUG 1 1 1997	leas							
Permit Review Due Date:	LEAS	,9.	CIVMB Concurr	rence Date:				

SOLID WASTE FACIL	ITY PER	MIT		1. Facility/Permit Num	ber: 26-AA-0006	j	
2. Name and Street Address of Facility:	:3. Name and Mailing Add	tress of Opera	tor	4. Name and Mailing	Address of Owner	•	
Benton Landfill	Richard Board	man, Director		Richard Boa	rdman, Director		
: Christie Lane	Mono County C	epartment of 1	Public Works	Mono Count	y Department of F	Public Works	
0.4 Miles from St Hwy 6	P.O. Box 457			P.O. Box 45	7		
Benton, CA 93512	Bridgeport, CA	93517		Bridgeport, (CA 93517		
5. Specifications:							
a. Permitted Operations:		Compo	osting Facility		Processing F	actity	
		(mixed	waste)				
		Compo	sting Facility		Transfer Stati	on	4
		(yerd w	veste)				i.
	X	Landfill	l Disposal Site		Transformatio	n Facility	: !
		Matena	al Recovery Facility		Other		1
b. Permitted Hours of Operation: Public and Commercial - Operat	ine will be during daylight b	ours for a minute	mum of three days nor w	ank San main D			1
5. 7 strikes hours of Operation. Public and Commercial Coperat	on will be during daying it in	ous for a mmi		ear. See to IL Kednisews	nts.		ļ
c. Permitted Tons Per Operating Day			Total:	10	Tons/Day		
Non-Hazardous - General				included	Tons/Day		
Non-Hazardous - Separated or commingled							:
recyclables				N/A	Tons/Day		
Non-Hazardous - (see Section 14 of Permit)				N/A	Tons/Day		
Concrete/Asphait				included (see spec. #	1) Tons/Day		
Mulch/Green Material				included (see spec. #	t) Tons/Day		[]
d. Permitted Traffic Volume:			Total:	N/A	Vehicles/Day		j. 1
Incoming Waste Materials				N/A	Vehicles/Day		
Outgoing waste materials (for disposal)				N/A	Vehicles/Day		
Outgoing materials for material recovery							
operations					Vehicles/Day		
e. Key Design Parameters (Detailed parameters are shown on site						-	
3	Total	Disposal	Transfer	MRF	Compos		Transformation
Permitted Area (in acres)	10 a	9	a 0.5	a N/A	a N/A		N/A a
Design Refuse Capacity		42600		od I N/A t	od N/A	tod	N/A tpd i
Max. Elevation (ft. MSL)	N//						
Max Depth (ft. BGS)	N//		n .				ELETINE A ME
Estimated Closure Date		2045					
Owner shall notify the Local Enforcement Agency 45 days prior to t	he date of anticipated owne	ership transfer	pursuant ot PRC 44005.	Further, upon a			
significant change in design or operation from that described hereif), this permit is subject to re	vocation or su	spension. The attached	permit findings and			i)
conditions are integral parts of this permit and supersede the condi	tions of any previously issue	ed Solid Waste	Facility Permits.				l
.6. Approvate			7. Enforcement An	ency Name and Address;			
NINO (MANORIA	TEAR			ounty Health Department			
Approving Officer Signature			P.O. Box				: !
Dennis Lampson, LEA Manager			Bridgepo	ort, Ca 93517			
Name/Title	_		1				
8. Received by CIVMB: AUG 1 1 1997			9. CIWMB Concur	rence Date:			
10. Permit Review Due Date:			11. Permit Issue D	ate:			

_	$\overline{}$		$\overline{}$					_	TE		-	-	 -						_
	,					. ,	^	•			л		 	_	$\overline{}$	т г	~ •	41.	—
_		11		1	.,	.,	,,	_		_	,,		 	•	-		JN	/1 1	
	•	, ,			\ /	11	_			_	_		 	,	_		- "	/1 1	
_	\sim		 	,	v	v	_			•	$\overline{}$		 				\		

1. Facility/Permit Number: 26-AA-0006

Legal Description of Facility (attach map with RFI):

The location of Chaifant Valley Landfill is at latitude 37 degrees 34' N and longitude 118 degrees 21' W on 9.9 acres in Chaifant Valley. The site is approximately 1/2 mile east of Highwy 6 on the east side of the community of Chaifant Valley. Access to the site is provided from Locust Street which terminates at the site.

- 13. Findings:
 - a. The facility is identified and described in, or found to conform with, a County Solid Waste Management Plan. Public Resources Code, Section 50000.
 - b. This permit is consistent with standards adopted by the California Integrated Waste Management Board (CIVMB). Public Resources Code, Section 44010.
 - c. The design and operation of the facility is in compliance with the State Minimum Standards for Solid Waste Handling and Disposal as determined by LEA.
 - d. Chalfant Valley Landfill is in compliance with the requirements of the California Department of Forestry, Mono County Volunteer Fire Department Pursuant to Public Resources Code, Section 44151.
 - e. Permit is in compliance with CEQA.

14.	Prohibition	ns:			
	The permi	ttee is prohibited from accepting any non-haz	zardous waste requiring specia	al handling, designated weste, hazardous waste, friable	
	asbestos.	radioactive waste, burning waste, infectious	or medical waste, septic tank	pumpings, liquid or semi solid waste (<50% solids).	
:					
	The permi	ttee is additionally prohibited from the following	ng activities:		•
	Open Burr	ning (unless permitted by the Great Basin Air	Pollution Control District), sca	evenging by the public.	
15.	The follow	ing documents also describe and/or restrict to	he operation of this facility		
ì					
**			Date:		Date:
:	x	RDSI	Oct. 1995	X Waste Discharge Requirements	September, 1995
	x	_ Amended RDSI	July, 1997		
	N/A	Conditional Use Prmit		x Owner/Operator Cartification	July, 1997
	x	CEQA	1996		
:	x	Preliminary Closure/Post Closure Plan	December, 1995		
:					

December, 1995

Pretiminary Closure/Post Closure Plan

30

SOLID WASTE FACI	LITY PERMIT	1. Facility/Permit Number: 26-AA-0006
6. Self Monitoring:		
	in the Report of Facility Information, will be reported as follows:	Agency Reported To
Program	Reporting Frequency	LEA
Quantity of waste received in tons per day.	QUARTERLY	to have?
. Outgoing quantity of recycled material that are diverted	ANNUALLY	LEA
rom tandfilling for the following: wood, green waste, concrete.		•
snpalt, latex paint, battenes, waste oil, tires, antifreeze,		
netals and freon.		
3. Number of commercial, industrial, municiple, and private	N/A	
renicles delivering to the facility per day.		
Area of site utilized shall be reported on an annual basis.	ANNUAL	LEA
The report shall include the location of all filled areas as		
viilt.		
. Log of special occurences (fire, explosion, accident,	ANNUAL, AVAILABLE UPON REQUEST	LEA
nadvertent disposal of hazardous materials or other		; 1
inapproved waste) shall be maintained. This log is to be		
ept on site.		
5. Emergencies such as hazardous materials spills,	IMMEDIATELY	LEA
andfill fire, or event requiring emergency response from		
another agency.		
20010. 230.107.		•
7. Notice of complaint against the facility receive by the	WITHIN 7 DAYS	LEA
public or regulatory agency, or receipt of a Notice of Violation		
rom another agency.		
Load check inspection report. Available to LEA upon	AVAILABLE UPON REQUEST	LEA
equest.		!
		Quarterly and annual reports due within 30 days of the end of
		the reporting period.

SOLID WASTE FACILITY PERMIT

1. Facility/Permit Number: 25-AA-0006

LEA Conditions:

Requirements:

- 1. This facility shall comply with all the State Minimum Stnadards for Solid Waste Handling and Disposal.
- 2. Additional information regarding the design and/or operations of this facility shall be provided as required by the LEA.
- 3. Owner shall notify the LEA 45 days prior to an anticipated ownership transfer pursuant to PRC 44005.
- 4. The owner/operator shall comply with all notice and orders issued by the LEA.
- 5. The SWFP is subject to review by the LEA, and may be suspended, revoked, or modified for sufficient cause after a hearing.
- 6. The LEA shall be notified of any proposed change in design or operation and shall make a determination as to whether the changes proposed will require submission of an amendment to the RFI and application of a permit modification or revised Solid Waste Facility Permit.
- 7. Alternatives to daily 6 inches of soil cover (alternative daily cover) shall be reviewed and approved by the LEA prior to implementation.
- 8. On or before January 15, 1998, the operator shall implement a change from the existing 24 hour landfill operation to operating during daylight hours a minimum of three days per week.

B: Specifications:

- 1. Concrete, asphalt, mulch, or green material received shall be included in the permitted tons per operating day.
- Select salvaging is to be carried out by the operator or his agent. Recycling programs are encouraged.